



Vapour Honing Machine

- *Rugged cabinet with precision controlled welded seams, will not leak
- *The water/media slurry is contained within the wet blasting tank
- *Delivery of the slurry to the manual blast nozzle is via a pump and hoses located inside the wet blasting machine
- *Compressed air is added at the blast nozzle to accelerate the slurry and provide the cleaning effect
- *Useful to remove carbon deposits, oxidation, surface cleaning

Model No.	26.0830
Motor HP	1
Dimension In CM	76x71x165
Net Weight	136 Kg.



Investment Mixture with vacuum

- 2 Kg. Powder Capacity
- With German Pump
- Complete de-gassing of the investment
- Various mixer speeds suitable for every type of investment, Memorization of mixing time
- Capacity : 4 kg Cylinder capacity : max. 1 x diam. 150 mm Max.
- cylinder height : 200 mm
- Dimension : 280 x 350 x 950 mm
- Motor 1.10 HP
- 3"x6" (2 PCs)
- Machine Dimension 36x30x80 CM



3D Printer CAD Machine

- Platform Size : 4.5" x 2.5 Inch x 6 Inch
- Light Source : UV LED
- UV LED Source : Full HD Projector
- Slice Thickness (Z Resolution) - 10 Micron To 100 Micron
- Software : Support Maker (Auto support & Slicing Software)
- Machine Dimension 150x120x90 CM



Water jet

- Heavy Duty & High Pressured Double Piston Pump to Spray to Quick Removal of Investment Powder from the Casting Tree
- Foot Controller to increase productivity
- Draining System & Outlet Tank with Filter to Save Metal
- 1.5 HP / 1.1 KW Motor
- Machine Dimension 76x51x47 CM
- Net Weight 96 Kg



Burnout Furnace Digital with Stand

- Furnace with Digital Temperature Controller , Amp. Meter, Contactor, Thermocouple and LED Lights,
- Components Accurate Control Air Vent with Programming Facility, with Step Timer

Model#	25.0551	25.0552	25.0553	25.0554	25.0555
Heating Chamber Size	6x6x6	10x10x10	15x15x15	20x20x10	20x20x20
KW	3.45	3.90	4.60	5.20	9
Flask Size No. Of Flask	2"x 5" 4 Pcs	4"x 9" 4 Pcs	4"x 7" 9+9 Pcs	4"x 9" 16 Pcs	4"x 9" 16 + 16 Pcs
Dimension in CM	30x30x38	41x41x51	90x78x130	10x92x149	108x95x185
Net Weight	35 Kg.	45 Kg.	110 Kg.	135 Kg.	195 Kg.



Digital Wax Injector

Model No.	25.0202
KW	0.50
Wax Capacity	3 Kg.
Temp.	40 To 150
Dimension In CM	38x35x53
Net Weight	18 Kg.



Digital Vacuum Wax Injector With Auto Clamp

Model No.	25.0208
KW	1
Wax Capacity	3 Kg.
Temp.	40 To 99
Dimension In CM	48x42x55
Net Weight	25 Kg.



Digital Vulcanizer Die Press

Model	25.0101
KW	0.25
Max Temp.	400 c
Dimension In CM	31x25x51
Net Weight	20 Kg.



Hollow Jewellery Finisher Machine

- Powder Coated Heavy duty body made from 1.6 MM Thick Stainless Steel Sheet.
- 3 MM to 5 Rubber Coated Bowl
- Specially Made for polish hollow jewelry without damaging it.
- All important spares parts made of Stainless Steel for rust prevention.
- Water outlet (Drainage System) made from S.S. material.
- Rubber mounted springs to enhance durability.
- Argon Welded Body Structure with SS Welding Rod
- Heavy MS Sheet in Bowl Base
- Good Quality & Chrome Plated Lock

Model No.	74.0223
Tube Size In CM	30 ID x 20 H
Jewellery Capacity	3 Kg.
Media Capacity	25 Kg.
Motor HP	1
Dimension In CM	71 x 73 x 76
Net Weight	55 Kg.



Hollow Jewellery Finisher Machine PU Coated Bowl

- Powder Coated Heavy duty body made from 1.6 MM Thick Stainless Steel Sheet.
- 3 MM to 5 PU Coated Bowl
- Specially Made for polish hollow jewelry without damaging it.
- All important spares parts made of Stainless Steel for rust prevention.
- Water outlet (Drainage System) made from S.S. material.
- Rubber mounted springs to enhance durability.
- Argon Welded Body Structure with SS Welding Rod
- Heavy MS Sheet in Bowl Base
- Good Quality & Chrome Plated Lock

Model No.	74.0224
Tube Size In CM	30 ID x 20 H
Jewellery Capacity	3 Kg.
Media Capacity	25 Kg.
Motor HP	1
Dimension In CM	71 x 73 x 76
Net Weight	55 Kg.



Rectangular Vibrator Polisher

- Heavy duty body made from 1.6 MM Thick Stainless Steel Sheet.
- 3 MM to 5 MM PP/PU/Rubber Coated Bowl
- All important spares parts made of Stainless Steel for rust prevention.
- Water outlet (Drainage System) made from S.S. material.
- Inside color coating for more durability.
- Rubber mounted springs to enhance durability.
- Good Quality Rubber Grip in Lid
- Argon Welded Body Structure with SS Welding Rod
- Heavy MS Sheet in Bowl
- Good Quality & Chrome Plated Lock

Model#	74.0101	74.0102	74.0103	74.0104	74.0108	74.0107
Metal Capacity Kg.	1	1.5	2	5	8	15
S.S. Ball Capacity Kg.	10	15	20	35	55	85
Tank Size CM	23x15x16	28x16x16	36x16x18	42x20x22	52x21x23	60x24x31
Power HP/KW	0.25/0.18	0.50/0.37	0.50/0.37	1/0.75	1/0.75	1/0.75
Dimension In CM	70x38x46	64x41x48	74x45x51	84x48x58	91x53x58	114x48x66
Net Weight	38	47	50	65	70	151



Vibro Finishing Machine

- water outlet by tap & Media outlet
- useful for mass finishing & Debarring, polishing, surface cleaning
- Auto separation system available on request

Model#	74.1816	74.1826	74.1856	74.1876
Jewellery Capacity	15 Kg	30 Kg	60 Kg	120 Kg
Media Capacity	100 Kg	200 Kg	400 Kg	800 Kg
Bowl Size	67	90	105	135
Motor HP/KW	0.75 / 0.6	1.5 / 1.1	2 / 1.5	5 / 3.75
Net Weight (Kg.)	40	80	160	350



Magnetic Polisher

- No metal loss
- Automatic reverse – forward & stop timer facility
- In case of circuit failure, rare possibility, the machine can operate through by pass system.

Model#	74.0342	74.0343	74.0345
Jewellery Capacity	1 Kg.	2 Kg.	5 Kg.
Media Capacity	250 Gms.	500 Gms.	1.25 Kg.
Bowl Size	25 x 15	30 x 15	70 x 30
Motor HP/KW	0.5/0.37	1/0.75	-
Net Weight (Kg.)	42	50	100
Dimension In cm L X W X H	53 x 38 x 53	53 x 41 x 58	-



Magnetic Polisher Premium (With Speed Controller) Slow-Fast-Slow Facility

- No metal loss
- Automatic reverse – forward & stop timer facility
- In case of circuit failure, rare possibility, the machine can operate through by pass system.

Model#	74.0342	74.0343	74.0345
Jewellery Capacity	1 Kg.	2 Kg.	5 Kg.
Media Capacity	250 Gms.	500 Gms.	1 Kg.
Bowl Size	25 x 15	30 x 15	40 x 18
Motor HP/KW	0.5/0.37	1/0.75	3
Net Weight (Kg.)	48	60	95
Dimension In cm L X W X H	58 x 42 x 58	60 x 45 x 63	62 x 62 x 68



Balls
Size 1, 1.5, 2.2, 2.5,
3, 3.5, 4 mm



Plain Cut Pins
Size 1x4, 1x6,
1x8, 1x10, 1½"x4,
1½"x6, 2x4, 2x6
2x8, 3x6, 3x8



Cross Cut Pins
Size 1x4, 1x6,
1x8, 1x10, 1½"x4,
1½"x6, 2x4, 2x6
2x8, 3x6, 3x8



Magnetic Pins
Size 0.3, 0.4, 0.5
Available in Standard,
Special Single Polished &
Special Double Polished



Ball Cone



Half Cone

Stainless Steel Media (Available in 202, 304 & 316 Grade)



Cross Cut
White Color
Small Size



Cross Cut
White Color
Big Size



Triangle
Gray Color



Triangle
White Color



Triangle
Black Color



Triangle
Black Color



Triangle
Black Color

Ceramic Media

▲ Cone ▲ Triangle ▲ Cylindrica Wedges ▲ Pyraminds ► Wedges ▲ Tetrahedrons



Plastic Media

▲ Cone ▲ Triangle ▲ Cylindrica Wedges ▲ Pyraminds ► Wedges ▲ Tetrahedrons



Walnut Media



Powder



Corn Media



Special White
Rounded Media



Super Shining
Finishing Media



Imported Media
(Italiana)



Ultrasonic Cleaner Machine

- With water Outlet
- Stainless Steel Body
- Stainless Steel Tank
- High Frequency Ultrasonic Vibrators
- Inbuilt Heater
- Inbuilt Thermostat

Model#	26.0102	26.0104	26.0105	26.0106	26.0108	26.0109
Capacity	2	4	6	9	15	25
Tank Size CM	17x12x10	20x15x12	25x16x15	28x17x17	33x25x18	36x28x25
Power KW	50	100	150	250	400	500
Dimension In CM	36x27x28	40x26x34	52x33x44	57x34x45	62x40x56	66x45x63
New Weight	8	11	19	22	44	54

STEAM CLEANER

Export in 60+ Countries



Steam Cleaner

Model No	26.0701
KW Power	2.99
Nozzle	Single
Heater	Single
Steam Capacity	9 Ltr.
Water Capacity	5 Ltr.
Dimension In CM	48x48x66
Net Weight	26 Kg.

SETTLING TANK WITH BASIN

Export in 60+ Countries



Settling Tank (SS & PP Body)

- Available In Single / Double / Three Outlet

Model No.	26.0611	26.0612	26.0613	26.0601	26.0602	26.0603
Pump HP	0.5	0.5	0.5	0.5	0.5	0.5
Taps	One	Two	Three	One	Two	Three
Dimension In CM	50x51x104	74 x 51 x 104	106 x 51 x 104	50 x 51 x 104	74 x 51 x 104	106 x 51 x 104
Net Weight	51 Kg	61 Kg	78 Kg	52 Kg	64 Kg	105 Kg

POLISHING SYSTEM WITH DUST COLLECTOR

Export in 60+ Countries



Single Station Polishing System With Dust Collector

- Tapered Hood for Better Dust Collection
- 10 Micron Filter with 10 Pockets for Maximum Recovery
- T5 Light for Clear Vision
- Large Viewing Glass for Better Visibility
- Foot Shaker for Dusting the Dust in Tray
- Strong Suction Motor & Vibration Free Polishing Motor
- Locking Facility for Secure Your Precious Metal Dust

Model No	59.0101
Power Supply	230 / 440 V
Polishing Motor HP	0.75 / 0.55
Suction Motor	0.75 / 0.55
Sound Level	69 db
Dimension In CM	81 x 61 x 134
Net Weight	135 Kg.

POLISHING SYSTEM WITH DUST COLLECTOR

Export in 60+ Countries



Single Station Dust Collector Heavy Model

Model No	20" Cabin	16" Cabin
Power Supply	440 V	440 V
Polishing Motor HP	2	1.5
Suction Motor	2	1.5
Sound Level	75 DB	70 DB
Dimension In CM	132x104x160 CM	92x83x142 CM
Net Weight	325 Kg.	250 Kg.



Double Station Single Motor Polishing System With Dust Collector

- Tapered Hood for Better Dust Collection
- 10 Micron Filter with 10 Pockets for Maximum Recovery
- T5 Light for Clear Vision
- Large Viewing Glass for Better Visibility
- Foot Shaker for Dusting the Dust in Tray
- Strong Suction Motor & Vibration Free Polishing Motor
- Locking Facility for Secure Your Precious Metal Dust

Model No	59.0111
Power Supply	230 / 440 V
Polishing Motor HP	0.75 / 0.55
Suction Motor	1 / 0.75
Sound Level	69 db
Dimension In CM	116 x 61 x 134
Net Weight	181 Kg.



Double Station Double Motor Polishing System With Dust Collector

- Tapered Hood for Better Dust Collection
- 10 Micron Filter with 10 Pockets for Maximum Recovery
- T5 Light for Clear Vision
- Large Viewing Glass for Better Visibility
- Foot Shaker for Dusting the Dust in Tray
- Strong Suction Motor & Vibration Free Polishing Motor
- Locking Facility for Secure Your Precious Metal Dust

Model No	59.0121
Power Supply	440 V AC
Polishing Motor HP	1.5 / 1.1
Suction Motor	1.5 / 1.1
Sound Level	69 db
Dimension In CM	110 x 50 x 125
Net Weight	219 Kg.

POLISHING SYSTEM WITH DUST COLLECTOR

Export in 60+ Countries



Eagle Premium Polishing System With Dust Collector -Double Station Double Motor

- Tapered Hood for Better Dust Collection
- 4 Filter System
- T5 Light for Clear Vision
- Large Viewing Glass for Better Visibility
- Foot Shaker for Dusting the Dust in Tray
- Strong Suction Motor & Vibration Free Polishing Motor
- Locking Facility for Secure Your Precious Metal Dust



POLISHING SYSTEM WITH DUST COLLECTOR

Export in 60+ Countries



Filing Table With Dust Collector

Model No	59.0141-S
Power Supply	230 / 440 V AC
Suction Motor	1 HP
Dimension In Inch	34x30x43
Net Weight	110 Kg.



Twelve Pass Wire Drawing Machine

- Can Reduce Wire Thickness Rapidly up to 12 Sizes in Single Stretch
- Liquid Coolant System to Control Wire Temperature When Stretching
- Unwinding Spool & Motorized Winding Spool with Adjustable Clutch

Model No	80.0332
Motor HP	3
Dimension in CM	112x48x122
Net weight	378 Kg



Six Pass Wire Drawing Machine

- with Speed Controller
- Can Reduce Wire Thickness Rapidly up to 6 Sizes in Single Stretch
- Liquid Coolant System to Control Wire Temperature When Stretching
- Unwinding Spool & Motorized Winding Spool with Adjustable Clutch

Model No	80.0332
Motor HP	1
Dimension in CM	106x43x116
Net weight	235 Kg



Single Pass Wire Drawing Machine With Reverse & Forward

- Max. Diameter of Wire to be Drawn : 2 MM
- Designed for to Draw Gold/Silver Wire to Reduce for Require Gauges Even to the Thickness Like Hair.

Model No	80.0332
Motor HP	0.5
Dimension in CM	
Net weight	



Threading machine for continues deep thread

- wire size 1 MM
- Thread by Pressuring so no metal dust outcome
- up to 4 Feet wire at a time as input
- Left/Right thread output as per your request
- Thread size as per your request

Model No.	80.6107
Motor HP	1 / 0.75
Drive	NA
Dimension In CM	46x68x132
Net weight	135 Kg.



Threading Machine (For Tube Earring Post)

- one attachment for wire pointing work with dust collection system
- after working automatic reverse system
- for patch chuck available
- for pipe clamping - collect - by handle operated

Model No.	80.6151
Motor HP	0.5/0.37
Drive	NA
Dimension In CM	52x48x119
Net weight	54 Kg.



Threading Machine For Cut Piece Thread - Half & Deep Thread For Earring Post

Model No.	80.6151
Motor HP	1/0.75
Drive	AC
Dimension In CM	39x68x107
Net weight	90 Kg.

CNC BALL FACETING MACHINE

Export in 60+ Countries



Dots & Designing Process



Cutting Process



Lining (Engraving) Process

- Total 3 Motors 1.5 HP / 1.1 KW
- 5 Axis, Horizontal Model
- Ball Size Can Cut from 2 MM & up to 8 MM
- Pipe Size Can Cut from 4 MM & up to 10 MM
- Dust Collection Cabin for Recover your Precious Metal Dust.
- Dot Design, C-Cut, Foot Ball Design, Full Cut Design Can Done
- Emergency stop facility available
- Ball Capering by pneumatic
- PLC drive for program saving
- Computer not required for continues work
- Machine Dimension 76x45x106 CM
- Net Weight 158 Kg.

INDUCTION MELTING FURNACE

Export in 60+ Countries



- Ideal for Gold & Silver Melting
- Highly Efficient IGBT Based Soil State Generator
- Display For System Parameter & Faults
- Furnace Section Completely Isolated From Electricity
- Easy To Install
- Fastest Melting
- Limit & Failure Diagnostics
- No Metal Loss
- 24 Hr Continues Working Ability
- Manual Tilting Facility

Features	Specification
Power Supply	3 Phase
Voltage	415
Absorbed Power	15 To 20 KW
Capacity OF Gold	1 To 20 Kg
Maximum Temp	1200 C
Melting Time	2 to 5 Min
Temperature Measurement	K type
Cooling Water Temp.	20-30 C
Water Pressure	4 Bar
Maximum Water Flow	30 Ltr.



Digital Electric Melting Furnace With Silicon carbide Rod For Fast Melting

- High Graded Silicon Carbide Rod for Fast Melting
- Auto On-Off on Preset Level to Maintain Temperature
- Play a Buzzer When the Temperature Reaches a Preset Level
- Approx Melting Time : 10-12 Minutes
- No Metal Loss

Model No.	25.1677	25.1678	25.1681	26.1682	25.1684
Melting Time	10 Min.	10 Min.	15 Min.	20 Min.	20 Min.
Gold Capacity	1 Kg	2 Kg	5 Kg	10 Kg	20 Kg
Crucible size	65x65 mm	90x90 mm	100x150 mm	125x175 mm	150x250 mm
KW Power	1.90	2.80	4.80	10	20
Dimension In CM	31x31x75	33x33x77	42x42x88	48x48x99	58x58x112
Net weight	18 Kg	19 Kg	32 Kg	55 Kg	82 Kg



Digital Electric Melting Furnace With Guard German Type

- Compact Design & Safety Guard for Heat Protection
- High performance reliability
- Auto On-Off on Preset Level to Maintain Temperature
- Play a Buzzer When The Temperature Reaches a Preset Level
- No Metal Loss

Model No.	25.1606	26.1607	25.1609
Melting Time	20 min.	20 Min.	20 Min.
Gold Capacity	1 Kg	2 Kg	5 Kg
Crucible Size	65x65 mm	90x90 mm	125x125 mm
KW Power	1.50	2.25	4.00
Dimension In CM	25x25x50	26x26x53	30x30x60
Net Weight	12 Kg	13 Kg	26 Kg



Air & Gas Furnace Table Top Model

- High performance reliability
- LPG (High Pressure Cylinder) Use as Fuel
- Power Saver Model
- Long Lid Handle for Easy & Safe Operating

Model#	25.1801	25.1802	25.1803	25.1806
Gold Capacity	1 Kg.	3 Kg.	5 Kg.	10 Kg.
Inside Crucible No.	1	2	3	6
Power KW	0.09	0.18	0.18	0.25
Machine Weight	23 Kg.	31 Kg.	34 Kg.	45 Kg.
Machine Dimension CM	41x43x63	48x46x81	51x46x86	60x55x95



Air & Gas Furnace Floor Model

- High performance reliability
- LPG (High Pressure Cylinder) Use as Fuel
- Power Saver Model
- Long Lid Handle for Easy & Safe Operating

Model#	25.1851	25.1852	25.1853	25.1858	25.1854	25.1855	25.1856
Gold Capacity	1 Kg.	3 Kg.	5 Kg.	8 Kg.	10 Kg.	15 Kg.	20 Kg.
Inside Crucible No.	1	2	3	5	6	8	10
Power KW	0.09	0.18	0.18	0.37	0.37	0.55	0.65
Machine Weight	13 Kg.	18 Kg.	22 Kg.	35 Kg.	40 Kg.	48 Kg.	60 Kg.
Machine Dimension CM	96x38x28	107x36x36	112x36x36	122x36x41	132x68x46	136x68x46	138x68x58



Four In One Rhodium Plating Unit With Magnetic Stirrer

- Digital Voltage Display
- Digital Timer
- Ripple Free Output
- Inbuilt Heater
- Variable Voltage Regulator for Effective Plating
- Inbuilt Magnetic Stirrer with Hot Plate to mixing solution accurately
- Inbuilt Bath & Pen Plating
- T5 Light Attached for Excellent Lighting in Working Area
- Borosil Beaker Included with Machine

Model No.	57.0302	57.0304
Beaker Size In CM	1 + 1 + 1 Ltr.	2 + 2 + 2 Ltr.
KW Power	1	1
Dimension In CM	37x51x62	38x52x64
Net Weight	19 Kg	24 Kg

HOLLOW PIPE MAKING SETUP

Export in 60+ Countries



5 Rollers Tube/Pipe Making Machine with Solder Machine & Inbuilt Strip Cutter



Electric Draw Bench



Pipe Annealing Machine



Pipe Finishing Carbide Dies



Shaped Pipe Making Dies

HOLLOW PARA (BALL) MAKING SETUP


Export in 60+ Countries



5 Rollers Tube/Pipe Making Machine with Solder Machine & Inbuilt Strip Cutter



Pipe Annealing Machine



Electric Draw Bench



Hollow Ball Making Machine



Pipe Finishing Carbide Dies



Shaped Pipe Making Dies



CNC Ball Cutting Machine






**5 Rollers Tube/Pipe Making Machine
with Solder Machine &
Inbuilt Strip Cutter**



Pipe Annealing Machine



Electric Draw Bench




Threading Machine
- For Continuous Deep Thread
- For Making Earring Pins



**Pipe Finishing
Carbide Dies**



Threading Machine
- For Making Tube Earring Post





Threading Machine
- For Making Tube Earring Post



Threading Machine
For Cut Piece Thread
- For Half & Deep Threading On Earring Post



HOLLOW BANGLES / RINGS / EARRING FACTORY SETUP

Export in 60+ Countries



Tube Forming Machine 3 in 1



- Strip Cutter
- Tube Forming
- Puller 24"



Electric
Round Pipe Cutter



Tube Forming Dies & Spindle



GOLD & SILVER COIN MINTING FACTORY SETUP

Export in 60+ Countries



Gold & Silver Coin Minting Factory Setup
(Full Setup from Melting to Coin Packing)



Melting Furnace



Roll Press



Burnout Furnace



C Type Hydraulic Press
Coin Die Cutting



Hydraulic Press
For Coin Pressing



Vibrator Polishing Machine
For Coin Polishing



Drier



Coin die



Coin Cutting die



Sample

SPECIAL LIGHT WEIGHT CASTING JEWELLERY FACTORY SETUP

Export in 60+ Countries



Special Light Weight Casting Jewellery Factory Setup



3 in 1 Bottom Pouring Vacuum Casting Machine (Melt. Mix & Cast)



Automatic Flask Unbending & Casting Tree Cleaning Machine



Vapor Honing Machine



Investment Powder Mixer With Automatic Flask Filing System



3D Printer (CAD & Rapid Prototyping Of Jewellery Casting Models)



Burnout Furnace Digital With Programmable Step Timer



Digital Wax Injector
- Imported Model
- With Auto Clamp System



Digital Vulcanizer Die Press



Casting Jewellery High Speed Finisher Machine
- PU Coating
- Heavy Weight Body

LASER CUTTING / WELDING / MARKING FULL SETUP FOR JEWELLERY FACTORY

Export in 60+ Countries



Laser Cutting / Welding / Marking
Full Setup for Jewellery Factory



Eagle Laser Marking Machine
- Available 20W To 100W
- 50W & 100W Can Also Do Laser Cutting Work



**Additional Fume Extractor
(Dust Collector)**
- For Laser Cutting Machine



Eagle Laser Cutting & Marking Machine
- Available 50W 60W To 100W



48.4721
Vise for Laser Marking & Cutting



48.4518 and 48.4520
Rotary Laser Marking Attachment
- Available Small and Big 2 Sizes

THREADING FACTORY SETUP (SOUTH AND NORTH TYPE)

Export in 60+ Countries



Threading Machine
- For Making Tube Earring Post



Threading Machine
- For Continuous Deep Thread
- For Making Earring Pins

POPULAR PRODUCTS

Export in 60+ Countries



31.0761

5-Axis CNC Ball Facing Machine
For Diamond Cut Designs on Balls and Pipes



54.0501

Ball Making Machine for Making
Balls from Soldered Pipes
Available Full Setup for Ball Making



31.0561 and 31.0586

Double Head Facing & Milling
Machine for Diamond Cut
Available Standard & Zig Zag Models



16.0701

Bangle & Ring Inside Outside
Turning Machine



25.1677 to 25.1689

Melting Furnace with Silicon Carbide
Heating Element (Quick Melting)
1 Kg. to 100 Kg. Gold Capacity



25.1631 to 25.1637

Melting Furnace Standard
Digital Model
500 Gms. to 10 Kg. Gold Capacity



40.0211

External Melting Furnace
Digital Model



25.1801 to 25.1806

Melting Furnace Air & Gas Fueled
Table Top Model
1 Kg. to 10 Kg. Models



57.0302 and 57.0304

Four in One Rhodium Plating Plant
With Magnetic Stirrer System
1 Liter and 2 Liter Models



57.0202

Reel Plating Machine
Premium Digital Model
25 ML. Glass Beaker



60.0150 to 60.0179

Die Cutting Hand Press
Available with Handle or Fly Wheel
Available 1 No. to 9 No. Models



60.0123, 60.0126, 60.0129

Flywheel Hand Press
Double Body
Available 2 No. / 6 No. / 10 No.

POPULAR PRODUCTS

Export in 60+ Countries



16.1601
Ring Rounding Machine
with 12 Dies



16.1501
Bangle Rounding Machine
with 17 Dies



16.1236
Bangle Expanding Machine
24 strips (Premium)
Outer half Round Shape



16.1231
Bangle Expanding Machine
24 strips (STANDARD)



16.1311
Bangle & Ring
Grooving Machine
Premium Model



70.0101 & 70.0151
Stamping Machine
Also Available Heavy Model



16.0601
Hydraulic Biscuit Cutter
cum Bangle Design Die Press



64.5403
Rolling Mill Hand Powered
Indian Type With Gear Box
Available Size 5'



60.0431 to 60.0041
Electric Power Press
Available Capacity 3 to 50 Ton



64.7101 to 64.7103
Corrugating Machine
Two Roll & Four Roll Big & Small
Extra Rolls Also Available



64.7101, 64.7120 & 64.7121
Corrugated Pearl Shape Dies
Available With & Without
Tempering



74.0401 to 74.0403
Draw Machine
Stainless Steel Body 3-5-8 Kg
Capacity Available

Our valuable customers. Our true partners in success of EAGLE





Our Valuable Customer



Antique Jewellery Making Setup



Catalog

DOWNLOAD

Manufacturer & Exporter of Jewellery Machinery, Tools & Laser Machinery

EAGLE INDUSTRIES

HEAD OFFICE & FACTORY

2/5, New Bapu Nagar, Near Jilla Garden, Rajkot - 360 002 (INDIA)

Ph.: +91-281-2230081/82/83 📞 +91-9327110080

🌐 www.eaglesindia.com, 📧 sales@eaglesindia.com

Brand Promise - Delivery on Time