Our Company

Our company Mechtech Industries is established and experienced various Product Range in Wire mesh/Wire netting and Perforated MS plates. Our specialization in supplying high quality Spring Steel Wire mesh, Vibrating Screen cloth, Double Crimped / Single Crimped Wire mesh, Perforated MS Plates and different range of products.

We manufacture Woven Wire Screen Mesh and Perforated plates for various types of Crushers, Hot Mix Plant, Screening plants ranging from various companies. A wide range of Vibrating Screen, Wire Mesh Vibrating Screen and High Frequency Vibrating Screen made of high grade metals is available to fulfill varied requirements of industries. We have screens in different materials, wire diameters, mesh opening, dimensions and that can be chosen as per the specific application and nature of raw materials. Extensively used for sizing, screening, shifting, grading, separating, scalping and washing, these screens have high tensile strength, excellent adaptability to work under adverse conditions and high resistance against corrosion and chemicals. Also we manufacture other fabricated safety mesh of GI, MS, PVC wire material. We also manufacture chain link fence for wall fencing, building security and other relative applications.

Our Team

Our team consists of highly experienced and skilled labors. Our team motive is to focus on productivity, quality, accuracy and maintaining product quality consistently. Our moto is to give customers a very good quality of service and product quality at its best. We have sufficient amount of man power to carry out work load to a specific period. We have Automatic and Semi-Automatic machineries to carryout maximum production daily so as to deliver the material to our customers on given period. More efforts on productivity and quality.

Product Range

1. Woven Vibrating Screen Wire mesh:



A wide range of Vibrating Screen, Wire Mesh Vibrating Screen and High Frequency Vibrating Screen made of high grade metals is available to fulfill varied requirements of industries. We have screens in different materials, wire diameters, mesh opening, dimensions and that can be chosen as per the specific application and nature of raw materials. Extensively used for sizing, screening, shifting, grading, separating, scalping and washing, these screens have high tensile strength, excellent adaptability to work under adverse conditions and high resistance against corrosion and chemicals.

Material Used: Spring Steel Wire (TATA Steel, Usha martin, Bedmutha) for vibrating screens, Earth moving sectors etc. Various sizes of mesh can be obtained as per customer requirement. As mesh size and screen size differ from machine to machine. So, wire mesh is manufactured as customer requirement and machine specifications.

End to end Clamping process is also available for different Screening machines and Stone Crusher machines. Material used for clamping is **MS HR Sheet 14/16 swg** as per customer requirement.

Different screening sizes available from 3mm to 100mm Square opening

2. MS / GI Woven Wire Mesh:




It is used in fabrication Sector and mainly used for safety panels, security guard vehicles, Safety covering to avoid accidents, wall fencing etc.

We offer a wide range of Crimped Wire Mesh or Crimped Wire Netting in different materials like Stainless Steel Crimped Wire Mesh and weaving patterns for use in the some of the most demanding industries such as mining, construction, petrochemical, cement, food processing and many others.

The pattern used for woven wire mesh is double crimped and manufactured in different Square Openings in different wire diameters. Sizes are carried out as per customer requirement.

- Wire Range: 2.5mm to 6mm
- Square Opening: As per customer requirement.


3. Decorative Woven Wire Meshes:



We have a comprehensive range of Architectural Wire Cloth especially designed for architectural applications. It is widely used in interiors and exteriors for decorative enhancements and functionality. This wire cloth allows you to enhance your project cost-effectively. Moreover, it can be also woven using a wide range of alloys or in combination with other metallic products for achieving a dramatic and eye-catching look.

- Wire Range: 2.5mm to 6mm
- Square Opening: As per customer requirement.


4. Decorative PVC Coated Woven Wire Mesh:



We have a wide range of PVC decorative Wire Cloth especially designed for architectural, Interiors, Exteriors and other decorative applications. It is widely used in interiors and exteriors for decorative enhancements and functionality. This wire cloth allows you to enhance your project cost-effectively. Moreover, it can be also woven using a wide range of alloys or in combination with other metallic products for achieving a dramatic and eye-catching look.

- Wire Range: 2.5mm to 6mm
- Square Opening: As per customer requirement.

5. MS Perforated Plates:



We bring forth a comprehensive range of Perforated Sheet that includes sheets for crushers. The sheets are manufactured using high-grad mild steel in accordance with industry standards. Easy to work with, these are available in different hole patterns, hole sizes, and thickness in order to meet specific application requirements. It is in great demand by construction, mining, power generation and chemical industries. Perforated Plates contains Circular Holes to carry out screening of material.

Hole openings are available from 5mm to 80mm hole openings.

6. GI Chain link Fence:



We are leading manufacturer and supplier for GI Coated Chain Link Fencing. Our range of Chain link Fencing is widely appreciated by our clients

Features:

- High rigidity
- Flat surface
- Flexible installation

Specifications:

Opening wire thickness: 1.5 mm to 4 mm and Diamond opening from 1" to 4"

Material: GI coated wire

Height: 0.5 m to 3 m

7. PVC Coated Chain Link Fence:



Pvc Coated Chain Link Fencing is available in various types of size and color, it can be customized as per requirement of customer. PVC coated fencing provides additional defense against corrosion and also gives an aesthetic look. It can sustain in extreme hot weather and is resistant to Ultraviolet (U.V).

Specifications:

- Opening Wire thickness: 2 mm to 4 mm and opening from 2" to 4"
- Material: PVC coated wire
- Height: 0.5 m to 3 m
- Colors: Green, black, blue, brown, red, white and yellow etc