


Automatic VFFS (Collar Type) machine for four corner seal (Quad) Pouch with volumetric cup filler (Model No. : CTQ 500+CF)

AUTOMATIC VFFS (COLLAR TYPE) MACHINE FOR FOUR CORNER SEAL (QUAD) POUCH

- Fully automatic vertical Form Fill Seal machine (Quad Pouch) is suitable to pack Granules such as Tea, Coffee, Whole Spices, Seeds, Rice, Pulses, Namkeen, Snacks, Toffee, Sweets, Chips, Dry Fruits, Nuts etc.
- Sealing Type : Four Corner seal / Four Corner with center seal.
- Electric Control : By PLC & touch screen HMI
- Paper Pulling : By Belts, driven by VFD / Servo Motor
- Film Width : Upto 380 mm. maximum (CTQ-500)
Upto 700 mm. maximum (CTQ-900)
- Compressed Air required : 6 kg. / sq.cm.



- Power Requirement : 440 V AC 50 Hz, 3 Phase, 5 kW
- Filling System Options : Volumetric Cup Filler
Loadcell Controlled Linear Weigh Filler
Multihead Combination Weigh Filler
Auger Filler (Servo Motor Controller)
- Optional Attachment : Batch Coding Unit (Hot Foil / Ink Jet / TTO)
Nitrogen Flushing Unit
Infeed Conveyor (Bucket / Z Type)
Screw Feeding Conveyor
Outfeed Conveyor




Automatic VFFS (Collar Type) machine with Auger filler & screw feeding conveyor
(Model No. - CT 900+ AFS + SF)

AUTOMATIC VERTICAL FORM, FILL & SEAL (COLLAR TYPE) MACHINE

- Fully automatic vertical Form Fill Seal machine is suitable to pack Powder & Granules such as Tea, Coffee, Spices, Seeds, Rice, Pulses, Namkeen, Snacks, Toffee, Sweets, Chips, Flour, Besan, Maida, Dry fruits, Henna Powder, Milk Powder, Nuts, Pesticide & Fertilizer etc.
- Sealing Type : Male - Female Lining with continuous heat.
- Electric Control : By PLC & touch screen HMI.
- Paper Pulling : By Belts, driven by VFD / Servo Motor
- Film Width : Upto 700 mm. maximum (CT-700)
Upto 900 mm. maximum (CT-900)
- Power Requirement : 440 V AC, Three Phase, 5 kW
- Compressed Air required: 6 kg. / sq.cm.


- Filling System : Auger Filler (Servo motor controlled)
Volumetric Cup Filler
Loadcell Controlled Linear Weigh Filler
Multihead Combination Weigh Filler
- Optional Attachment : Batch Coding Unit (Hot Foil / Ink Jet / TTO)
Nitrogen Flushing Unit
Side Gusseting Unit
Screw Feeding Conveyor
Infeed Conveyor (Bucket / Z Type)
Outfeed Conveyor
D-Cut/Hole Punching Unit



Automatic VFFS (Collar Type) machine with Multihead Combination weigh filler & Infeed Conveyor (Model No. - CT 500 + JW + IC-Z)



Automatic VFFS (Collar Type) machine with Volumetric Cup Filler (Model No. - CT 500 + CF)



Automatic VFFS (Collar Type) machine with Loadcell Linear Weigh Filler (Model No. - CT 700 + LW + IC - Bucket)

AUTOMATIC VERTICAL FORM, FILL & SEAL (COLLAR TYPE) MACHINE

- Fully automatic vertical Form Fill Seal machine is suitable to pack Powder & Granules such as Tea, Coffee, Spices, Seeds, Rice, Pulses, Namkeen, Snacks, Wafers, Toffee, Sweets, Chips, Flour, Besan, Malda, Dry fruits, Henna Powder, Milk Powder, Nuts, Pesticide & Fertilizer etc.
 - Sealing type Male - Female lining with continuous heat.
 - Electric Control By PLC & touch screen HMI.
 - Paper pulling By belts, driven by VFD / Servo motor
- Film width
 - Upto 340 mm. maximum (CT-300)
 - Upto 420 mm. maximum (CT-400)
 - Upto 500 mm. maximum (CT-500)
 - Upto 700 mm. maximum (CT-700)
 - Upto 900 mm. maximum (CT-900)

- Compressed air required 6 kg. / sq.cm.
- Power requirement 440 V AC, Three phase, 5 kW
- Filling system options
 - Volumetric Cup filler
 - Auger filler (Servo motor controlled)
 - Loadcell controlled linear weigh filler
 - Multihead combination weigh filler
- Optional Attachment
 - Batch coding device (Hot foil / Ink Jet / TTO)
 - Nitrogen flushing unit
 - Side gusseting unit
 - Batch cutting unit
 - Infeed Conveyor (Bucket / Z Type) / Screw feeder
 - Outfeed conveyor
 - D-Cut/Hole Punching Unit