

Aqua Planner India

We are pleased to introduce ourselves as one of the most competent organization in the field of Water Body Manufacturing and Automation of water flow with others features in terms of planning, designing, drawing, and execution of both civil and electro-mechanical component of the job.

We are associates with global leaders of swimming pool and Automation of fluid handling equipment. We are constantly upgrading ourselves in the tune of technical and commercial advancement of the industry. Our international associates are Astral Pool from Spain, Paintair from USA, Certikin from Spain and Aquanomics in India.

Apart from Swimming Pool and Musical Fountain, we have expertise in making of any kind of Sanitization Tunnel or Disinfection Gate. We are doing large scale of Water Treatment, Sewerage Treatment & Effluent Treatment. We are also expertise in some life style products- like SPA, Jacuzzi, Sauna and Steam Bath.

We have done prestigious projects in Eastern Region (a relevant list of project you can see in our web site). These projects were done either directly or under the main civil construction company. Our installation process are technically superior, commercially viable and at the same time with minimum maintenance hassle.

ľ



About Sanitization Tunnel or Disinfection Gate.

Why required?

Currently we are sanitizing our hand by using alcohol based chemical or liquid soap, but after moving or passing from crowded area when we are going to our home, hospital, office or any other organization than we need to sanitized our whole body, Then only Sanitization Tunnel can disinfect our whole body.

Sanitization Process

Now a day there are two process of sanitization, as per experts opinions any kind of virus including COVID 19 can be die in 45 to 50 Degree, but now it is a process of research. As per Govt., Chemical Spray System can disinfect our body. And secondly alcohol based spray system is the best disinfection system.



Retention Time of Sanitization System

After getting information from some resources like website and govt. officials the average time of retention should be minimum 5 to 10 second only. We can adjust the retention timing as per requirement.

Nozzles Position

Every nozzle should be at a proper position by which entire room will be covered by steam or fog of chemical. Here we are suggesting two types of Machine. First Steam generator with small quantity of chemical. And second Fog nozzle with chemical by pressure pump.

Process of Exhaust

After using of sanitization room the steam or fog should be clear and floor should be clean automatically from room. So here we are providing the exhaust and drainage systems.



Confusion in present market

- 1. We required proper size of steam. If we don't provide the required volume of steam then it will not useful. But some manufacturer are using small machine to reduce the cost.
- 2. Chemical spray nozzles and pump should be sufficient to cover the tunnel. Here we are providing 2 Chanel with 8 no's mist spray point.

Unique Selling Proposition of our system

We are providing standby facilities to cover any breakdown of Machine.

Conclusion

If you are planning for a durable or really useable product then you have to go for a permanent solution of sanitization system. Here we are providing four types of Tunnel to fulfill your requirements.

WIDTH 1.2 MTR



PROTECT YOURSELF

Hands Free Hand Sanitizer Stand



PVC Covered Ply Board



 $\mathsf{HEIGHT}\ 2.5\mathrm{MTR}$





500 Liters SANITIZER LIQUID PVC TANK



NOZZLE In accordance with advance technology NOZZLE -**8NOS.MIST NOZZLE** WILL BE PLACED IN THE TUNNEL [LOGO]





WE ARE CARING FOR YOU

Wash your hands


Wash your hands with ssig and running soler when bunds are visibly duty

If your bunds



Sequently class Stars by pring abaded been hard rate or know as





- to achieve marriage fact that
- Selven, Secret, and After your property fixed
- o prime barret per
- and the second second
- as passed married
- after coupling at preming strong are the IAX



Steen coughing and annumy

EXIT





[LOGO]



Manager of the last



| 50 | | | אכ |
|----|--|--|--------|
| | | | |
| | | | |

10

| 3) | | | | |
|-----------------------------|------------------------|--|--|--|
| Disinfection Tunnel Details | | | | |
| SL NO. | <u>ITEM NAME</u> | <u>DESCRIPTION</u> | | |
| 1 | Size of room | 2.0 mtr (L) X 1.2 mtr (w) X 2.5 mtr (H) | | |
| 2 | Materials of Room | Structure will be made by MS with ante rust paint. It will be cover by flex. | | |
| 3 | Life Span of Room | 6 months to 12 months. | | |
| 4 | Sanitizing Sparay Pump | 0.75 kw chemical handling Spray Pump.(suitable for chemical) | | |
| 5 | Chemical Storage Tank | 500 ltrs capacity PVC chemical thank. | | |

| 5 | Chemical Storage Tank | 500 ltrs capacity PVC chemical thank. |
|---|-----------------------|--|
| 6 | Spray Pipe / Chanel | 2 no's Pipe manifold with 8 no's Mist Nozzles. |
| 7 | Photo Sensor | Infrared Sensor to automatic start the spray. it will work from 1 mtr. And stay up to 15 second or adjustable. |

| 7 | Photo Sensor | Infrared Sensor to automatic start the spray. it will work from 1 mtr. And stay up to 15 second or adjustable. |
|---|-----------------------------------|--|
| 8 | Drainage System / Floor Materials | Wooden floor made by Ply board and covered by PVC Mat. |
| 9 | Power Connection | 2 KW 220 volts |
| | | |

| 1 OWEL COLLICE | |
|------------------|---|
| | |
| Water Connection | A source of water is sufficient to fill the tank. |
| | |
| Room Cleaning | Room wall and Floor must be clean 1 time per day. |
| | |
| l o — | 1 |

11 Chemical Filling 1 time per day.

12 13 Warranty 6 months

10 Control Unit Control unit for Operating. 14



Disinfection Tunnel or Gate Model Price

API/M5

Rs.70,000.00

Terms and Condition:

- 1. The price is valid till one month from the date of quotation.
- 2. Transportation will be charged extra if site is out side of Kolkata.
- 3. GST will be charged as per Govt. rate.
- 4. You have to provide power and water connection at the point of installation.
- 5. Cost of Chemical is not included.
- 6. if any kind of damage due to power or mishandling of the product, warranty will be null and void and repairing cost will be bared by client.
- 7. 50% Payment in advance.
 - 40% Before delivery at site.10% After completion of installation.

AQUA PLANNER INDIA

In accordance with advance technology

In accordance with advance technology



For More Details Please Contact:

9831066227 / 9830575171

Registered Office: 22, Ahallya Nagar, East Jadavpur, Kolkata-700099

Branch Office: Guwahati-781037 | Phone: +91 33 24266725

E-mail: aqua.planner.india@gmail.com | website: www.aquaplannerindia.com

f: http://facebook.com/aquaplannerindia | : Twitter@aqua_planner

Swimming Pool | Musical Fountain | STP/ETP/ WTP | Jacuzzi/SPA | Landscaping 12 Water Park | Steam & Sauna | Glass Mosaic Tiles | EPDM Flooring | Kids Playing Equipment